

## EAST Search History

| Ref # | Hits | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|--|--|------------------|---------|------------------|
| L1    | 2505 | ((709/230) or (709/313) or (709/230) or (345/762) or (345/778)).CCLS.                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/11/09 22:11 |
| L2    | 0    | (exceed\$3 or surpass\$3) with (number or quantity or count\$3) near10(protocol adj3 engine)) and l1   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/11/09 22:12 |
| L3    | 0    | (exceed\$3 or surpass\$3) with (number or quantity or count\$3) near10(protocol near10 engine)) and l1 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/11/09 22:12 |
| L4    | 0    | (KEGEL and DANIEL).inv. and l1   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/11/09 22:13 |
| L5    | 5    | (KEGEL and DANIEL).inv.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/11/09 22:16 |
| L6    | 43   | (IXIA).asn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/11/09 22:16 |
| L8    | 688  | (test\$3 adj2 script\$3) and interpret\$3  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/11/09 22:16 |

## EAST Search History

|    |      |   |  |    |    |                  |
|----|------|---|--|----|----|------------------|
| L9 | 0    | (IXIA).asn. and L8  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/09 22:16 |
| S1 | 1545 | (test\$3 adj2 script)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/05 17:24 |
| S2 | 1591 | (test\$3 adj2 script\$3)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 12:58 |
| S3 | 1    | (test\$3 adj2 script\$3) with (traffic<br>adj3 replicat\$3)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/05 17:27 |
| S7 | 687  | (test\$3 adj2 script\$3) and<br>interpret\$3  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/05 17:29 |
| S8 | 16   | (test\$3 adj2 script\$3) and<br>interpret\$3 and (protocol near5<br>engine)                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 14:57 |
| S9 | 2    | (test\$3 adj2 script\$3) and<br>interpret\$3 and ((protocol near5<br>engine)with (command or<br>indtruction)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/05 17:29 |

## EAST Search History

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S10 | 2   | (test\$3 adj2 script\$3) and interpret\$3 and ((protocol near5 engine)with command) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/05 17:39 |
| S12 | 3   | "20030236089"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/06 15:37 |
| S13 | 0   | S12 and ((receiv\$3 or accept\$3) with (test\$3 near4 script))                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/06 15:38 |
| S14 | 2   | S12 and ((command) with (test\$3 near4 script))                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/06 15:38 |
| S17 | 2   | (test\$3 adj2 script\$3) and ((protocol near6 engine) with command)                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 12:59 |
| S18 | 10  | (test\$3 adj2 script\$3) and ((protocol near6 engine) same command)                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 14:07 |
| S19 | 661 | ((protocol near6 engine) same command)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 14:07 |

## EAST Search History

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| S20 | 791 | ((protocol near10 engine) same command)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 14:07 |
| S21 | 492 | ((protocol near10 engine) with command)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 14:07 |
| S22 | 80  | ((protocol near10 engine) with (execut\$3 or run\$4 or load\$3) with command)                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 14:08 |
| S23 | 4   | ((protocol near10 engine) with (execut\$3 or run\$4 or load\$3) with command with associat\$3)       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 14:08 |
| S24 | 2   | (test\$3 adj2 script\$3) and interpret\$3 and ((protocol near5 engine)with (command or instruction)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 14:14 |
| S25 | 547 | (multiple or many or plurality or several) near6(protocol near5 engine)                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 14:58 |
| S26 | 1   | (multiple or many or plurality or several) near6(protocol near5 engine) with script                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 14:58 |

## EAST Search History

|     |    |  |  |    |    |                  |
|-----|----|--|--|----|----|------------------|
| S27 | 13 | (multiple or many or plurality or several) near6(protocol near5 engine) with command   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:12 |
| S28 | 13 | (multiple or many or plurality or several) near6(protocol near5 engine) with (command or (event adj3 handl\$3))                | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 15:53 |
| S29 | 2  | (multiple or many or plurality or several) near6(protocol near5 engine) with (command or (event adj3 handl\$3)) same script\$3 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 14:59 |
| S30 | 12 | (multiple or many or plurality or several) near3(protocol near5 engine) with command   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 15:18 |
| S31 | 14 | (multiple or many or plurality or several or two) near3(protocol near5 engine) with command                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 15:26 |
| S32 | 1  | (multiple or many or plurality or several or two) near3(protocol near5 engine) with command with script\$3                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 15:23 |
| S33 | 2  | (multiple or many or plurality or several or two) near3(protocol near5 engine) with command same script\$3                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 15:25 |

## EAST Search History

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| S34 | 7   | (protocol near5 engine) with command with script\$3  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 15:26 |
| S35 | 1   | (multiple or many or plurality or several or two) near3(protocol near5 engine) with script                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 15:27 |
| S36 | 0   | (multiple or many or plurality or several or two) near3(protocol near5 engine) with (test\$3 near5 script\$3)              | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 15:27 |
| S37 | 13  | (test\$3 adj2 script\$3) same (protocol near6 engine)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 15:54 |
| S38 | 514 | (multiple or many or plurality or several) near5(protocol near5 engine)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:12 |
| S39 | 37  | (multiple or many or plurality or several) near5(protocol near5 engine) with (command or function or event)                | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:13 |
| S40 | 1   | (multiple or many or plurality or several) near5(protocol near5 engine) with (command or function or event) with script\$3 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:15 |

## EAST Search History

|     |    |  |  |    |    |                  |
|-----|----|--|--|----|----|------------------|
| S41 | 2  | (multiple or many or plurality or several) near5(protocol near5 engine) with (command or function or event) same script\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:14 |
| S42 | 1  | (multiple or many or plurality or several) near5(protocol near5 engine) near10 (command or function or event) with script\$3 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:16 |
| S43 | 2  | (multiple or many or plurality or several) near5(protocol near5 engine) near10 (command or function or event) same script\$3 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:16 |
| S44 | 0  | (multiple or many or plurality or several) near5(protocol near5 engine) near10 (command or function or event) with test\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:16 |
| S45 | 0  | (multiple or many or plurality or several) near5(protocol near5 engine) near10 (command or function or event) with code      | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:16 |
| S46 | 0  | (multiple or many or plurality or several) near5(protocol near5 engine) near10 (command or function or event) with program   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:16 |
| S47 | 32 | (multiple or many or plurality or several) near5(protocol near5 engine) near10 (command or function or event)                | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:19 |

## EAST Search History

|     |    |  |  |    |    |                  |
|-----|----|--|--|----|----|------------------|
| S48 | 1  | test\$3 near5 script\$ and (multiple or many or plurality or several) near5(protocol near5 engine) near10 (command or function or event) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:17 |
| S49 | 7  | script\$ and (multiple or many or plurality or several) near5(protocol near5 engine) near10 (command or function or event)               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:17 |
| S50 | 18 | (multiple or many or plurality or several) near3(protocol adj3 engine) near10 (command or function or event)                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:20 |
| S51 | 10 | (multiple or many or plurality or several) near3(protocol adj3 engine) with (command )   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:35 |
| S52 | 2  | (multiple or many or plurality or several) near3(protocol adj3 engine) with (command ) and script\$3                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:20 |
| S55 | 99 | (associat\$3 or link\$3 ) with (protocol near3 engine) with command  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:36 |
| S56 | 40 | (associat\$3 or link\$3 ) near5 (protocol near3 engine) with command   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:45 |



## EAST Search History

|     |   |   |  |    |    |                  |
|-----|---|---|--|----|----|------------------|
| S57 | 2 | (associat\$3 or link\$3 ) near5<br>(protocol near3 engine) with<br>command with script                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:36 |
| S58 | 2 | (associat\$3 or link\$3 ) near5<br>(protocol near3 engine) with<br>command same script                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:36 |
| S59 | 2 | (associat\$3 or link\$3 ) near5<br>(protocol near3 engine) with<br>command and (test with script)               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:36 |
| S60 | 2 | ((associat\$3 or link\$3 ) near5<br>(protocol near3 engine) with<br>command )and (test with script)             | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:37 |
| S61 | 0 | ((associat\$3 or link\$3 ) near5<br>(protocol near3 engine) with<br>command ) with (document or file)           | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:37 |
| S62 | 0 | ((associat\$3 or link\$3 ) near5<br>(protocol near3 engine) with<br>command ) same (document or file)           | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:37 |
| S63 | 2 | ((associat\$3 or link\$3 ) near5<br>(protocol near3 engine) with<br>command ) with (script document<br>or file) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:39 |

## EAST Search History

|     |    |  |  |    |    |                  |
|-----|----|--|--|----|----|------------------|
| S64 | 2  | (associat\$3 or link\$3 ) near5<br>(protocol near3 engine) with<br>command and script  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:39 |
| S65 | 0  | (associat\$3 or link\$3 ) near5<br>(protocol near3 engine) with<br>command and similat\$3  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:39 |
| S66 | 17 | (associat\$3 or link\$3 ) near5<br>(protocol near3 engine) with<br>command and (similat\$3 or<br>replicat\$3)                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:40 |
| S67 | 1  | (associat\$3 or link\$3 ) near5<br>(protocol near3 engine) with<br>command and (test\$3 with<br>(similat\$3 or replicat\$3))                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:40 |
| S68 | 0  | (associat\$3 or link\$3 ) near5 (many<br>or multiple or several or two or<br>three or plurality ) adj3 (protocol<br>adj3 engine) with command  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:46 |
| S69 | 0  | (associat\$3 or link\$3 ) near10<br>(many or multiple or several or two<br>or three or plurality ) adj3 (protocol<br>adj3 engine) with command | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 16:52 |
| S70 | 7  | (many or multiple or several or two<br>or three or plurality ) adj3 (protocol<br>adj3 engine) with command                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 18:20 |

## EAST Search History

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| S71 | 32   | "5,905,713".pn. "61108800".pn. "6,363,056".pn. "8,122,670".pn. "6,345,302".pn. "20030043434" "6,343,076".pn. "8,233,256".pn. "6,321,264".pn. "6,148,051".pn. "5,568,471".pn. "20030219040" "5,535,338".pn. "5,590,285".pn. "5,787,253".pn. "5,477,531".pn. "5,878032".pn. "20040010612" "20040030757" | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 18:23 |
| S72 | 8    | "20030202486" "6,044,091".pn. "6,621,805".pn. 2003-0009544  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 18:24 |
| S73 | 10   | "20030139919" "6,950,405".pn. "6,028,847".pn. "6,789,100".pn. 2002/0080781  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 18:24 |
| S74 | 50   | S71 S72 S73   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 18:24 |
| S75 | 0    | S74 and (multiple or many or plurality or several) near5(protocol near5 engine)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 18:25 |
| S76 | 1    | S74 and (protocol near5 engine)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 22:14 |
| S77 | 9959 | ((operat\$3 adj2 sytem) or "OS") near3 command  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 22:14 |

## EAST Search History

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| S78 | 9959 | ((operat\$3 adj2 sytem) or "OS")<br>near3 command)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 22:14 |
| S79 | 56   | ((operat\$3 adj2 sytem) or "OS")<br>near3 command) with script\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 22:15 |
| S80 | 1    | ((((operat\$3 adj2 sytem) or "OS")<br>near3 command) with script\$3)<br>same fetch                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 22:17 |
| S81 | 11   | ((((operat\$3 adj2 sytem) or "OS")<br>near3 command) with script\$3) and<br>fetch                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 22:17 |
| S82 | 9    | ((((operat\$3 adj2 sytem) or "OS")<br>near3 command) with script\$3) and<br>fetch and verify                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 22:17 |
| S83 | 9    | ((((operat\$3 adj2 sytem) or "OS")<br>near3 command) with script\$3) and<br>fetch and verify and monitor              | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/07 22:18 |
| S84 | 7    | ((((operat\$3 adj2 sytem) or "OS")<br>near3 command) with script\$3) and<br>fetch and verify and monitor and<br>count | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 09:50 |

## EAST Search History

|     |   |  |  |    |    |                  |
|-----|---|--|--|----|----|------------------|
| S85 | 0 | ((operat\$3 adj2 sytem) near3 command) with script\$3) and fetch and verify and monitor and count  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 09:50 |
| S86 | 0 | ((operat\$3 adj2 sytem) near3 command) with script\$3) and ((fetch verify monitor count) near5 command)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 10:02 |
| S87 | 0 | ((operat\$3 adj2 sytem) near10 command) with script\$3) and ((fetch verify monitor count) near5 command)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 10:03 |
| S88 | 0 | ((operat\$3 adj2 sytem) near10 (command or instruction)) with script\$3) and ((fetch verify monitor count) near5 command)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 10:03 |
| S89 | 0 | ((operat\$3 adj2 sytem) near10 (command or instruction)) with script\$3) and ((fetch verify monitor count) near5 (command or instruction))                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 10:12 |
| S90 | 0 | ((operat\$3 adj2 sytem) near10 (command or instruction)) with (script\$3 or document or file)) and ((fetch verify monitor count) near5 (command or instruction)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 10:12 |
| S91 | 1 | ((operat\$3 adj2 sytem) near10 (command or instruction)) ) and ((fetch verify monitor count) near5 (command or instruction))                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 10:14 |

## EAST Search History

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| S92 | 1    | ((operat\$3 adj2 sytem) near10 (command or instruction)) ) and ((fetch retrieve verify monitor count) near5 (command or instruction ))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 10:15 |
| S93 | 1    | ((operat\$3 adj2 sytem) near10 (command or instruction)) ) and ((fetch retrieve verify monitor count ignore or abort) near5 (command or instruction ))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:05 |
| S94 | 4196 | ((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near10 (command or instruction)) ) and ((fetch retrieve verify monitor count ignore or abort) near5 (command or instruction )) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:06 |
| S95 | 2121 | ((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near10 (command )) ) and ((fetch retrieve verify monitor count ignore or abort) near5 (command ))                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:07 |
| S96 | 1315 | ((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near3 (command )) ) and ((fetch retrieve verify monitor count ignore or abort) near5 (command ))                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:07 |
| S97 | 947  | ((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near3 (command )) ) and ((fetch and retrieve verify monitor count ignore or abort) near5 (command ))                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:07 |
| S98 | 841  | ((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near3 (command )) ) and ((fetch and retrieve and verify monitor count ignore or abort) near5 (command ))                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:07 |

## EAST Search History

|          |     |   |  |    |    |                  |
|----------|-----|---|--|----|----|------------------|
| S99      | 468 | (((((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near3 (command )) ) and ((fetch and retrieve and verify and monitor count ignore or abort) near5 (command ))            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:07 |
| S10<br>0 | 313 | (((((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near3 (command )) ) and ((fetch and retrieve and verify and monitor and count ignore or abort) near5 (command ))        | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:07 |
| S10<br>1 | 93  | (((((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near3 (command )) ) and ((fetch and retrieve and verify and monitor and count and ignore or abort) near5 (command ))    | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:08 |
| S10<br>2 | 0   | (((((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near3 (command )) ) and ((fetch and retrieve and verify and monitor and count and ignore ) near5 (command ))            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:39 |
| S10<br>3 | 0   | (((((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near3 (command )) ) and ((fetch and retrieve and verify and monitor and count and (ignore or abort) ) near5 (command )) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:08 |
| S10<br>4 | 0   | (((((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near3 (command )) ) and ((fetch and retrieve and verify and monitor and count ) near5 (command ))                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:08 |
| S10<br>5 | 0   | (((((operat\$3 adj2 sytem)or windows or "DOS" or LINUX or "UNIX") near3 (command )) ) and ((fetch and retrieve and verify and monitor ) near5 (command ))                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:09 |

## EAST Search History

|          |      |  |  |    |    |                  |
|----------|------|--|--|----|----|------------------|
| S10<br>6 | 3    | (((((operat\$3 adj2 sytem)or<br>windows or "DOS" or LINUX or<br>"UNIX") near3 (command )) ) and<br>(((fetch and retrieve and verify )<br>near5 (command )) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:09 |
| S10<br>7 | 21   | ((((fetch or retrieve) and (verify or<br>check) and (monitor or supervise)<br>and count and (ignore or abort) )<br>near5 (command ))                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 12:41 |
| S10<br>8 | 15   | ((((fetch or retrieve) and (verify or<br>check) and (monitor or supervise)<br>and count and (ignore or abort) )<br>near3 (command ))                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 13:00 |
| S10<br>9 | 3108 | extend\$3 near5 (operat\$3 adj2<br>system)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 13:01 |
| S11<br>0 | 23   | (extend\$3 near5 (operat\$3 adj2<br>system) )near10 command  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 21:20 |
| S11<br>1 | 1    | (exceed\$3 or surpass\$3) near5<br>(number adj4 (protocol adj3<br>engine))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 21:22 |
| S11<br>2 | 1    | (exceed\$3 or surpass\$3) with<br>(number adj4 (protocol adj3<br>engine))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 21:22 |



## EAST Search History

|          |    |  |  |    |    |                  |
|----------|----|--|--|----|----|------------------|
| S11<br>3 | 1  | (exceed\$3 or surpass\$3) with (number or quantity or count\$3) adj4 (protocol adj3 engine))                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 21:23 |
| S11<br>4 | 20 | (exceed\$3 or surpass\$3) with (number or quantity or count\$3) near10(protocol adj3 engine))                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/09 22:11 |
| S11<br>5 | 1  | (exceed\$3 or surpass\$3) with (number or quantity or count\$3) near10(protocol adj3 engine)) with (execut\$3 or run\$4) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 21:25 |
| S11<br>6 | 1  | (exceed\$3 or surpass\$3) with (number or quantity or count\$3) near10(protocol adj3 engine)) same (execut\$3 or run\$4) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 21:26 |
| S11<br>7 | 1  | (exceed\$3 or surpass\$3) with (number or quantity or count\$3) near10(protocol adj3 engine)) same (frequency or tim\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/08 21:26 |